

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for stabilizing a recombinant protein solution formulation, which comprises storing the protein solution formulation under magnetic field lines.

2. (Original) The method according to claim 1, wherein the magnetic flux density is 1 mT (millitesla) or more.

3. (Currently Amended) The method according to claim 1 or 2, wherein the recombinant protein is a physiologically active protein.

4. (Original) The method according to claim 3, wherein the physiologically active protein is selected from an antibody, an enzyme, a cytokine and a hormone.

5. (Original) The method according to claim 4, wherein the physiologically active protein is a hematopoietic factor.

6. (Withdrawn) The method according to claim 5, wherein the hematopoietic factor is erythropoietin or granulocyte colony-stimulating factor.

Claim 7. (Cancelled)

8. (Currently Amended) The method according to claim 1, wherein the recombinant protein solution formulation is in the form of a pre-filled syringe formulation.

Claims 9-10. (Cancelled)

11. (Currently Amended) A method for stabilizing a recombinant protein-containing solution, which comprises storing the protein-containing solution under magnetic field lines.

12. (Currently Amended) The method according to claim 11, wherein the recombinant protein-containing solution is a bulk solution for protein production.

Claims 13-18. (Cancelled)

19. (New) The method of claim 1, wherein the recombinant protein is an isolated and purified recombinant protein.

20. (New) A method for stabilizing a composition consisting essentially of a protein and a pharmaceutically

acceptable carrier comprising storing the composition under magnetic field lines.

21. (New) The method according to claim 20 wherein the protein is selected from the group consisting of antibodies, enzymes, cytokines, and hormones.

22. (New) The method according to claim 20 wherein the protein is a hematopoietic factor.

23. (New) The method according to claim 22 wherein the hematopoietic factor is erythropoietin or granulocyte colony-stimulating factor.

24. (New) The method according to claims 20 wherein the pharmaceutically acceptable carrier is water.